

Communication No. 2486

SYNCHRONIZED SKATING

Scale of Values season 2022/23

The following Communication replaces Communication No. 2322

The following is Included:

Appendix A

Abbreviation of Elements and Additional Features

Appendix B

Scale of Values of the Synchronized Skating Elements

Tubbergen,
June 1, 2022
Lausanne,

Jan Dijkema, President

Fredi Schmid, Director General

Abbreviation of Elements and Additional Features Appendix A

ELEMENT	ABBREVIATION
Artistic Element	-
Artistic Block	AB
Artistic Circle	AC
Artistic Line	AL
Artistic Wheel	AW
Creative Element	Cr
Group Lift Element	GL
Intersection	I
Linear and Rotating Elements:	-
Linear Block	B
Linear Line	L
Circle	C
Wheel	W
Mixed Element	Mi
Move Element	ME
No Hold Element	NHE
Pair Element	Pa
Pivoting Elements:	-
Pivoting Block	PB
Pivoting Line	PL
Synchronized Spin Element	SySp
<u>Travelling Element</u>	<u>TrE</u>
Twizzle Element	<u>TwE</u>

ADDITIONAL FEATURE	ABBREVIATION
Free Skating Move	fm
Point Of Intersection	pi
Step Sequence	s

Appendix B

Scale of Value of the Synchronized Skating Elements

	-5	-4	-3	-2	-1	BASE	1	2	3	4	5
	50%	40%	30%	20%	10%		10%	20%	30%	40%	50%

1. ARTISTIC ELEMENTS

ARTISTIC ELEMENTS - Artistic Block (AB)

Level B	ABB		-0,50	-0,40	-0,30	-0,20	-0,10	1,00	0,10	0,20	0,30	0,40	0,50
Level 1	AB1		-1,25	-1,00	-0,75	-0,50	-0,25	2,50	0,25	0,50	0,75	1,00	1,25
Level 2	AB2		-2,00	-1,60	-1,20	-0,80	-0,40	4,00	0,40	0,80	1,20	1,60	2,00

ARTISTIC ELEMENT - Artistic Circle (AC)

Level B	ACB		-0,50	-0,40	-0,30	-0,20	-0,10	1,00	0,10	0,20	0,30	0,40	0,50
Level 1	AC1		-1,25	-1,00	-0,75	-0,50	-0,25	2,50	0,25	0,50	0,75	1,00	1,25
Level 2	AC2		-2,00	-1,60	-1,20	-0,80	-0,40	4,00	0,40	0,80	1,20	1,60	2,00

ARTISTIC ELEMENT - Artistic Line (AL)

Level B	ALB		-0,50	-0,40	-0,30	-0,20	-0,10	1,00	0,10	0,20	0,30	0,40	0,50
Level 1	AL1		-1,25	-1,00	-0,75	-0,50	-0,25	2,50	0,25	0,50	0,75	1,00	1,25
Level 2	AL2		-2,00	-1,60	-1,20	-0,80	-0,40	4,00	0,40	0,80	1,20	1,60	2,00

ARTISTIC ELEMENT - Artistic Wheel (AW)

Level B	AWB		-0,50	-0,40	-0,30	-0,20	-0,10	1,00	0,10	0,20	0,30	0,40	0,50
Level 1	AW1		-1,25	-1,00	-0,75	-0,50	-0,25	2,50	0,25	0,50	0,75	1,00	1,25
Level 2	AW2		-2,00	-1,60	-1,20	-0,80	-0,40	4,00	0,40	0,80	1,20	1,60	2,00

2. CREATIVE ELEMENT (Cr)

Level 1	Cr1		-2,00	-1,60	-1,20	-0,80	-0,40	4,00	0,40	0,80	1,20	1,60	2,00
---------	-----	--	-------	-------	-------	-------	-------	-------------	------	------	------	------	------

3. GROUP LIFT ELEMENT (GL)

Level B	GLB		<u>-0,75</u>	<u>-0,60</u>	<u>-0,45</u>	<u>-0,30</u>	<u>-0,15</u>	<u>1,50</u>	<u>0,15</u>	<u>0,30</u>	<u>0,45</u>	<u>0,60</u>	<u>0,75</u>
Level 1	GL1		<u>-2,25</u>	<u>-1,80</u>	<u>-1,35</u>	<u>-0,90</u>	<u>-0,45</u>	<u>4,50</u>	<u>0,45</u>	<u>0,90</u>	<u>1,35</u>	<u>1,80</u>	<u>2,25</u>
	GL1<		<u>-2,13</u>	<u>-1,70</u>	<u>-1,28</u>	<u>-0,85</u>	<u>-0,43</u>	<u>4,25</u>	<u>0,43</u>	<u>0,85</u>	<u>1,28</u>	<u>1,70</u>	<u>2,13</u>
	GL1<<		<u>-1,88</u>	<u>-1,50</u>	<u>-1,13</u>	<u>-0,75</u>	<u>-0,38</u>	<u>3,75</u>	<u>0,38</u>	<u>0,75</u>	<u>1,13</u>	<u>1,50</u>	<u>1,88</u>
Level 2	GL2		<u>-2,75</u>	<u>-2,20</u>	<u>-1,65</u>	<u>-1,10</u>	<u>-0,55</u>	<u>5,50</u>	<u>0,55</u>	<u>1,10</u>	<u>1,65</u>	<u>2,20</u>	<u>2,75</u>
	GL2<		<u>-2,63</u>	<u>-2,10</u>	<u>-1,58</u>	<u>-1,05</u>	<u>-0,53</u>	<u>5,25</u>	<u>0,53</u>	<u>1,05</u>	<u>1,58</u>	<u>2,10</u>	<u>2,63</u>
	GL2<<		<u>-2,38</u>	<u>-1,90</u>	<u>-1,43</u>	<u>-0,95</u>	<u>-0,48</u>	<u>4,75</u>	<u>0,48</u>	<u>0,95</u>	<u>1,43</u>	<u>1,90</u>	<u>2,38</u>
Level 3	GL3		<u>-3,25</u>	<u>-2,60</u>	<u>-1,95</u>	<u>-1,30</u>	<u>-0,65</u>	<u>6,50</u>	<u>0,65</u>	<u>1,30</u>	<u>1,95</u>	<u>2,60</u>	<u>3,25</u>
	GL3<		<u>-3,13</u>	<u>-2,50</u>	<u>-1,88</u>	<u>-1,25</u>	<u>-0,63</u>	<u>6,25</u>	<u>0,63</u>	<u>1,25</u>	<u>1,88</u>	<u>2,50</u>	<u>3,13</u>
	GL3<<		<u>-2,88</u>	<u>-2,30</u>	<u>-1,73</u>	<u>-1,15</u>	<u>-0,58</u>	<u>5,75</u>	<u>0,58</u>	<u>1,15</u>	<u>1,73</u>	<u>2,30</u>	<u>2,88</u>
Level 4	GL4		<u>-3,75</u>	<u>-3,00</u>	<u>-2,25</u>	<u>-1,50</u>	<u>-0,75</u>	<u>7,50</u>	<u>0,75</u>	<u>1,50</u>	<u>2,25</u>	<u>3,00</u>	<u>3,75</u>
	GL4<		<u>-3,63</u>	<u>-2,90</u>	<u>-2,18</u>	<u>-1,45</u>	<u>-0,73</u>	<u>7,25</u>	<u>0,73</u>	<u>1,45</u>	<u>2,18</u>	<u>2,90</u>	<u>3,63</u>
	GL4<<		<u>-3,38</u>	<u>-2,70</u>	<u>-2,03</u>	<u>-1,35</u>	<u>-0,68</u>	<u>6,75</u>	<u>0,68</u>	<u>1,35</u>	<u>2,03</u>	<u>2,70</u>	<u>3,38</u>

downgrade 1: <, downgrade 2: <<

	-5	-4	-3	-2	-1	BASE	1	2	3	4	5
	50%	40%	30%	20%	10%		10%	20%	30%	40%	50%

4. INTERSECTION ELEMENT (I)

Level B	IB	-	-0,13	-0,10	-0,08	-0,05	-0,03	0,25	0,03	0,05	0,08	0,10	0,13
Level 1	IB	piB	-0,25	-0,20	-0,15	-0,10	-0,05	0,50	0,05	0,10	0,15	0,20	0,25
Level 2	I1	-	-0,38	-0,30	-0,23	-0,15	-0,08	0,75	0,08	0,15	0,23	0,30	0,38
Level 3	IB	pi1	-0,50	-0,40	-0,30	-0,20	-0,10	1,00	0,10	0,20	0,30	0,40	0,50
Level 4	I1	piB	-0,63	-0,50	-0,38	-0,25	-0,13	1,25	0,13	0,25	0,38	0,50	0,63
Level 5	I1	pi1	-0,75	-0,60	-0,45	-0,30	-0,15	1,50	0,15	0,30	0,45	0,60	0,75
Level 6	IB	pi2	-0,88	-0,70	-0,53	-0,35	-0,18	1,75	0,18	0,35	0,53	0,70	0,88
Level 7	I2	-	-1,00	-0,80	-0,60	-0,40	-0,20	2,00	0,20	0,40	0,60	0,80	1,00
Level 8	I1	pi2	-1,13	-0,90	-0,68	-0,45	-0,23	2,25	0,23	0,45	0,68	0,90	1,13
Level 9	IB	pi3	-1,25	-1,00	-0,75	-0,50	-0,25	2,50	0,25	0,50	0,75	1,00	1,25
Level 10	I2	piB	-1,38	-1,10	-0,83	-0,55	-0,28	2,75	0,28	0,55	0,83	1,10	1,38
Level 11	I3	-	-1,50	-1,20	-0,90	-0,60	-0,30	3,00	0,30	0,60	0,90	1,20	1,50
Level 12	I2	pi1	-1,63	-1,30	-0,98	-0,65	-0,33	3,25	0,33	0,65	0,98	1,30	1,63
Level 13	I1	pi3	-1,75	-1,40	-1,05	-0,70	-0,35	3,50	0,35	0,70	1,05	1,40	1,75
Level 14	I3	piB	-1,88	-1,50	-1,13	-0,75	-0,38	3,75	0,38	0,75	1,13	1,50	1,88
Level 15	I4	-	-2,00	-1,60	-1,20	-0,80	-0,40	4,00	0,40	0,80	1,20	1,60	2,00
Level 16	I4	piB	-2,13	-1,70	-1,28	-0,85	-0,43	4,25	0,43	0,85	1,28	1,70	2,13
Level 17	IB	pi4	-2,25	-1,80	-1,35	-0,90	-0,45	4,50	0,45	0,90	1,35	1,80	2,25
Level 18	I2	pi2	-2,38	-1,90	-1,43	-0,95	-0,48	4,75	0,48	0,95	1,43	1,90	2,38
Level 19	I3	pi1	-2,50	-2,00	-1,50	-1,00	-0,50	5,00	0,50	1,00	1,50	2,00	2,50
Level 20	I4	pi1	-2,63	-2,10	-1,58	-1,05	-0,53	5,25	0,53	1,05	1,58	2,10	2,63
Level 21	I1	pi4	-2,75	-2,20	-1,65	-1,10	-0,55	5,50	0,55	1,10	1,65	2,20	2,75
Level 22	I2	pi3	-2,88	-2,30	-1,73	-1,15	-0,58	5,75	0,58	1,15	1,73	2,30	2,88
Level 23	I3	pi2	-3,00	-2,40	-1,80	-1,20	-0,60	6,00	0,60	1,20	1,80	2,40	3,00
Level 24	I4	pi2	-3,13	-2,50	-1,88	-1,25	-0,63	6,25	0,63	1,25	1,88	2,50	3,13
Level 25	I2	pi4	-3,25	-2,60	-1,95	-1,30	-0,65	6,50	0,65	1,30	1,95	2,60	3,25
Level 26	I3	pi3	-3,38	-2,70	-2,03	-1,35	-0,68	6,75	0,68	1,35	2,03	2,70	3,38
Level 27	I4	pi3	-3,50	-2,80	-2,10	-1,40	-0,70	7,00	0,70	1,40	2,10	2,80	3,50
Level 28	I3	pi4	-3,63	-2,90	-2,18	-1,45	-0,73	7,25	0,73	1,45	2,18	2,90	3,63
Level 29	I4	pi4	-3,75	-3,00	-2,25	-1,50	-0,75	7,50	0,75	1,50	2,25	3,00	3,75

5. LINEAR AND ROTATING ELEMENTS

LINEAR ELEMENT - Block (B)

Level B	BB		-0,50	-0,40	-0,30	-0,20	-0,10	1,00	0,10	0,20	0,30	0,40	0,50
Level 1	B1		-0,75	-0,60	-0,45	-0,30	-0,15	1,50	0,15	0,30	0,45	0,60	0,75
Level 2	B2		-1,00	-0,80	-0,60	-0,40	-0,20	2,00	0,20	0,40	0,60	0,80	1,00
Level 3	B3		-1,50	-1,20	-0,90	-0,60	-0,30	3,00	0,30	0,60	0,90	1,20	1,50
Level 4	B4		-2,00	-1,60	-1,20	-0,80	-0,40	4,00	0,40	0,80	1,20	1,60	2,00

LINEAR ELEMENT - Line (L)

Level B	LB		-0,50	-0,40	-0,30	-0,20	-0,10	1,00	0,10	0,20	0,30	0,40	0,50
Level 1	L1		-0,75	-0,60	-0,45	-0,30	-0,15	1,50	0,15	0,30	0,45	0,60	0,75
Level 2	L2		-1,00	-0,80	-0,60	-0,40	-0,20	2,00	0,20	0,40	0,60	0,80	1,00
Level 3	L3		-1,50	-1,20	-0,90	-0,60	-0,30	3,00	0,30	0,60	0,90	1,20	1,50
Level 4	L4		-2,00	-1,60	-1,20	-0,80	-0,40	4,00	0,40	0,80	1,20	1,60	2,00

ROTATING ELEMENT - Circle (C)

Level B	CB		-0,50	-0,40	-0,30	-0,20	-0,10	1,00	0,10	0,20	0,30	0,40	0,50
Level 1	C1		-0,75	-0,60	-0,45	-0,30	-0,15	1,50	0,15	0,30	0,45	0,60	0,75
Level 2	C2		-1,00	-0,80	-0,60	-0,40	-0,20	2,00	0,20	0,40	0,60	0,80	1,00
Level 3	C3		-1,50	-1,20	-0,90	-0,60	-0,30	3,00	0,30	0,60	0,90	1,20	1,50
Level 4	C4		-2,00	-1,60	-1,20	-0,80	-0,40	4,00	0,40	0,80	1,20	1,60	2,00

ROTATING ELEMENT - Wheel (W)

Level B	WB		-0,50	-0,40	-0,30	-0,20	-0,10	1,00	0,10	0,20	0,30	0,40	0,50
Level 1	W1		-0,75	-0,60	-0,45	-0,30	-0,15	1,50	0,15	0,30	0,45	0,60	0,75
Level 2	W2		-1,00	-0,80	-0,60	-0,40	-0,20	2,00	0,20	0,40	0,60	0,80	1,00
Level 3	W3		-1,50	-1,20	-0,90	-0,60	-0,30	3,00	0,30	0,60	0,90	1,20	1,50
Level 4	W4		-2,00	-1,60	-1,20	-0,80	-0,40	4,00	0,40	0,80	1,20	1,60	2,00

		-5	-4	-3	-2	-1	BASE	1	2	3	4	5
		50%	40%	30%	20%	10%		10%	20%	30%	40%	50%

6. MIXED ELEMENT (Mi)

Level 1	Mi1		-2,00	-1,60	-1,20	-0,80	-0,40	4,00	0,40	0,80	1,20	1,60	2,00
---------	-----	--	-------	-------	-------	-------	-------	-------------	------	------	------	------	------

7. MOVE ELEMENT (ME)

Level B	MEB		<u>-0,75</u>	<u>-0,60</u>	<u>-0,45</u>	<u>-0,30</u>	<u>-0,15</u>	1,50	0,15	0,30	0,45	0,60	0,75
Level 1	ME1		<u>-1,75</u>	<u>-1,40</u>	<u>-1,05</u>	<u>-0,70</u>	<u>-0,35</u>	3,50	0,35	0,70	1,05	1,40	1,75
	ME1<		<u>-1,63</u>	<u>-1,30</u>	<u>-0,98</u>	<u>-0,65</u>	<u>-0,33</u>	3,25	0,33	0,65	0,98	1,30	1,63
	ME1<<		<u>-1,38</u>	<u>-1,10</u>	<u>-0,83</u>	<u>-0,55</u>	<u>-0,28</u>	2,75	0,28	0,55	0,83	1,10	1,38
Level 2	ME2		<u>-2,25</u>	<u>-1,80</u>	<u>-1,35</u>	<u>-0,90</u>	<u>-0,45</u>	4,50	0,45	0,90	1,35	1,80	2,25
	ME2<		<u>-2,13</u>	<u>-1,70</u>	<u>-1,28</u>	<u>-0,85</u>	<u>-0,43</u>	4,25	0,43	0,85	1,28	1,70	2,13
	ME2<<		<u>-1,88</u>	<u>-1,50</u>	<u>-1,13</u>	<u>-0,75</u>	<u>-0,38</u>	3,75	0,38	0,75	1,13	1,50	1,88
Level 3	ME3		<u>-2,75</u>	<u>-2,20</u>	<u>-1,65</u>	<u>-1,10</u>	<u>-0,55</u>	5,50	0,55	1,10	1,65	2,20	2,75
	ME3<		<u>-2,38</u>	<u>-1,90</u>	<u>-1,43</u>	<u>-0,95</u>	<u>-0,48</u>	4,75	0,48	0,95	1,43	1,90	2,38
	ME3<<		<u>-2,13</u>	<u>-1,70</u>	<u>-1,28</u>	<u>-0,85</u>	<u>-0,43</u>	4,25	0,43	0,85	1,28	1,70	2,13
Level 4	ME4		<u>-3,25</u>	<u>-2,60</u>	<u>-1,95</u>	<u>-1,30</u>	<u>-0,65</u>	6,50	0,65	1,30	1,95	2,60	3,25
	ME4<		<u>-3,13</u>	<u>-2,50</u>	<u>-1,88</u>	<u>-1,25</u>	<u>-0,63</u>	6,25	0,63	1,25	1,88	2,50	3,13
	ME4<<		<u>-2,88</u>	<u>-2,30</u>	<u>-1,73</u>	<u>-1,15</u>	<u>-0,58</u>	5,75	0,58	1,15	1,73	2,30	2,88

downgrade 1: <, downgrade 2: <<

8. NO HOLD ELEMENT (NHE)

Level B	NHEB	-	-0,13	-0,10	-0,08	-0,05	-0,03	0,25	0,03	0,05	0,08	0,10	0,13
Level 1	NHEB	sB	-0,25	-0,20	-0,15	-0,10	-0,05	0,50	0,05	0,10	0,15	0,20	0,25
Level 1	NHE1	-	-0,25	-0,20	-0,15	-0,10	-0,05	0,50	0,05	0,10	0,15	0,20	0,25
Level 2	NHEB	s1	-0,38	-0,30	-0,23	-0,15	-0,08	0,75	0,08	0,15	0,23	0,30	0,38
Level 3	NHE1	sB	-0,50	-0,40	-0,30	-0,20	-0,10	1,00	0,10	0,20	0,30	0,40	0,50
Level 4	NHE2	-	-0,63	-0,50	-0,38	-0,25	-0,13	1,25	0,13	0,25	0,38	0,50	0,63
Level 5	NHE1	s1	-0,75	-0,60	-0,45	-0,30	-0,15	1,50	0,15	0,30	0,45	0,60	0,75
Level 6	NHE2	sB	-0,88	-0,70	-0,53	-0,35	-0,18	1,75	0,18	0,35	0,53	0,70	0,88
Level 7	NHE2	s1	-1,00	-0,80	-0,60	-0,40	-0,20	2,00	0,20	0,40	0,60	0,80	1,00
Level 8	NHEB	s2	-1,13	-0,90	-0,68	-0,45	-0,23	2,25	0,23	0,45	0,68	0,90	1,13
Level 9	NHE3	-	-1,25	-1,00	-0,75	-0,50	-0,25	2,50	0,25	0,50	0,75	1,00	1,25
Level 10	NHE1	s2	-1,38	-1,10	-0,83	-0,55	-0,28	2,75	0,28	0,55	0,83	1,10	1,38
Level 11	NHE3	sB	-1,50	-1,20	-0,90	-0,60	-0,30	3,00	0,30	0,60	0,90	1,20	1,50
Level 12	NHE3	s1	-1,63	-1,30	-0,98	-0,65	-0,33	3,25	0,33	0,65	0,98	1,30	1,63
Level 13	NHE2	s2	-1,75	-1,40	-1,05	-0,70	-0,35	3,50	0,35	0,70	1,05	1,40	1,75
Level 14	NHEB	s3	-1,88	-1,50	-1,13	-0,75	-0,38	3,75	0,38	0,75	1,13	1,50	1,88
Level 15	NHE4	sB	-2,00	-1,60	-1,20	-0,80	-0,40	4,00	0,40	0,80	1,20	1,60	2,00
Level 16	NHE4	s1	-2,13	-1,70	-1,28	-0,85	-0,43	4,25	0,43	0,85	1,28	1,70	2,13
Level 17	NHE1	s3	-2,25	-1,80	-1,35	-0,90	-0,45	4,50	0,45	0,90	1,35	1,80	2,25
Level 18	NHE2	s3	-2,38	-1,90	-1,43	-0,95	-0,48	4,75	0,48	0,95	1,43	1,90	2,38
Level 19	NHEB	s4	-2,50	-2,00	-1,50	-1,00	-0,50	5,00	0,50	1,00	1,50	2,00	2,50
Level 20	NHE1	s4	-2,63	-2,10	-1,58	-1,05	-0,53	5,25	0,53	1,05	1,58	2,10	2,63
Level 21	NHE3	s2	-2,75	-2,20	-1,65	-1,10	-0,55	5,50	0,55	1,10	1,65	2,20	2,75
Level 22	NHE4	s2	-2,88	-2,30	-1,73	-1,15	-0,58	5,75	0,58	1,15	1,73	2,30	2,88
Level 23	NHE2	s4	-3,00	-2,40	-1,80	-1,20	-0,60	6,00	0,60	1,20	1,80	2,40	3,00
Level 24	NHE3	s3	-3,13	-2,50	-1,88	-1,25	-0,63	6,25	0,63	1,25	1,88	2,50	3,13
Level 25	NHE4	s3	-3,25	-2,60	-1,95	-1,30	-0,65	6,50	0,65	1,30	1,95	2,60	3,25
Level 26	NHE3	s4	-3,38	-2,70	-2,03	-1,35	-0,68	6,75	0,68	1,35	2,03	2,70	3,38
Level 27	NHE4	s4	-3,50	-2,80	-2,10	-1,40	-0,70	7,00	0,70	1,40	2,10	2,80	3,50

9. PAIR ELEMENT (Pa)

Level B	PaB		<u>-0,75</u>	<u>-0,60</u>	<u>-0,45</u>	<u>-0,30</u>	<u>-0,15</u>	1,50	0,15	0,30	0,45	0,60	0,75
Level 1	Pa1		<u>-1,75</u>	<u>-1,40</u>	<u>-1,05</u>	<u>-0,70</u>	<u>-0,35</u>	3,50	0,35	0,70	1,05	1,40	1,75
Level 2	Pa2		<u>-2,25</u>	<u>-1,80</u>	<u>-1,35</u>	<u>-0,90</u>	<u>-0,45</u>	4,50	0,45	0,90	1,35	1,80	2,25
Level 3	Pa3		<u>-2,75</u>	<u>-2,20</u>	<u>-1,65</u>	<u>-1,10</u>	<u>-0,55</u>	5,50	0,55	1,10	1,65	2,20	2,75
Level 4	Pa4		<u>-3,25</u>	<u>-2,60</u>	<u>-1,95</u>	<u>-1,30</u>	<u>-0,65</u>	6,50	0,65	1,30	1,95	2,60	3,25

	-5	-4	-3	-2	-1	BASE	1	2	3	4	5
	50%	40%	30%	20%	10%		10%	20%	30%	40%	50%

10. PIVOTING ELEMENT - BLOCK (PB)

Level B	PBB		-0,75	-0,60	-0,45	-0,30	-0,15	1,50	0,15	0,30	0,45	0,60	0,75
Level 1	PB1		<u>-1,75</u>	<u>-1,40</u>	<u>-1,05</u>	<u>-0,70</u>	<u>-0,35</u>	3,50	<u>0,35</u>	<u>0,70</u>	<u>1,05</u>	<u>1,40</u>	<u>1,75</u>
Level 2	PB2		<u>-2,25</u>	<u>-1,80</u>	<u>-1,35</u>	<u>-0,90</u>	<u>-0,45</u>	4,50	<u>0,45</u>	<u>0,90</u>	<u>1,35</u>	<u>1,80</u>	<u>2,25</u>
Level 3	PB3		<u>-2,75</u>	<u>-2,20</u>	<u>-1,65</u>	<u>-1,10</u>	<u>-0,55</u>	5,50	<u>0,55</u>	<u>1,10</u>	<u>1,65</u>	<u>2,20</u>	<u>2,75</u>
Level 4	PB4		<u>-3,25</u>	<u>-2,60</u>	<u>-1,95</u>	<u>-1,30</u>	<u>-0,65</u>	6,50	<u>0,65</u>	<u>1,30</u>	<u>1,95</u>	<u>2,60</u>	<u>3,25</u>

11. PIVOTING ELEMENT - LINE (PL)

Level B	PLB		-0,75	-0,60	-0,45	-0,30	-0,15	1,50	0,15	0,30	0,45	0,60	0,75
Level 1	PL1		<u>-1,75</u>	<u>-1,40</u>	<u>-1,05</u>	<u>-0,70</u>	<u>-0,35</u>	3,50	<u>0,35</u>	<u>0,70</u>	<u>1,05</u>	<u>1,40</u>	<u>1,75</u>
Level 2	PL2		<u>-2,25</u>	<u>-1,80</u>	<u>-1,35</u>	<u>-0,90</u>	<u>-0,45</u>	4,50	<u>0,45</u>	<u>0,90</u>	<u>1,35</u>	<u>1,80</u>	<u>2,25</u>
Level 3	PL3		<u>-2,75</u>	<u>-2,20</u>	<u>-1,65</u>	<u>-1,10</u>	<u>-0,55</u>	5,50	<u>0,55</u>	<u>1,10</u>	<u>1,65</u>	<u>2,20</u>	<u>2,75</u>
Level 4	PL4		<u>-3,25</u>	<u>-2,60</u>	<u>-1,95</u>	<u>-1,30</u>	<u>-0,65</u>	6,50	<u>0,65</u>	<u>1,30</u>	<u>1,95</u>	<u>2,60</u>	<u>3,25</u>

12. SYNCHRONIZED SPIN ELEMENT (SySp)

Level B	SySpB		-0,75	-0,60	-0,45	-0,30	-0,15	1,50	0,15	0,30	0,45	0,60	0,75
Level 1	SySp1		<u>-1,75</u>	<u>-1,40</u>	<u>-1,05</u>	<u>-0,70</u>	<u>-0,35</u>	3,50	<u>0,35</u>	<u>0,70</u>	<u>1,05</u>	<u>1,40</u>	<u>1,75</u>
Level 2	SySp2		<u>-2,25</u>	<u>-1,80</u>	<u>-1,35</u>	<u>-0,90</u>	<u>-0,45</u>	4,50	<u>0,45</u>	<u>0,90</u>	<u>1,35</u>	<u>1,80</u>	<u>2,25</u>
Level 3	SySp3		<u>-2,75</u>	<u>-2,20</u>	<u>-1,65</u>	<u>-1,10</u>	<u>-0,55</u>	5,50	<u>0,55</u>	<u>1,10</u>	<u>1,65</u>	<u>2,20</u>	<u>2,75</u>
Level 4	SySp4		<u>-3,25</u>	<u>-2,60</u>	<u>-1,95</u>	<u>-1,30</u>	<u>-0,65</u>	6,50	<u>0,65</u>	<u>1,30</u>	<u>1,95</u>	<u>2,60</u>	<u>3,25</u>

13. TRAVELING ELEMENT (TrE)

Level B	TrEB		-0,50	-0,40	-0,30	-0,20	-0,10	1,00	0,10	0,20	0,30	0,40	0,50
Level 1	TrE1		-1,00	-0,80	-0,60	-0,40	-0,20	2,00	0,20	0,40	0,60	0,80	1,00
Level 2	TrE2		-1,50	-1,20	-0,90	-0,60	-0,30	3,00	0,30	0,60	0,90	1,20	1,50
Level 3	TrE3		-2,00	-1,60	-1,20	-0,80	-0,40	4,00	0,40	0,80	1,20	1,60	2,00
Level 4	TrE4		-2,50	-2,00	-1,50	-1,00	-0,50	5,00	0,50	1,00	1,50	2,00	2,50

14. TWIZZLE ELEMENT (TwE)

Level B	TwEB		-0,75	-0,60	-0,45	-0,30	-0,15	1,50	0,15	0,30	0,45	0,60	0,75
Level 1	TwE1		<u>-1,75</u>	<u>-1,40</u>	<u>-1,05</u>	<u>-0,70</u>	<u>-0,35</u>	3,50	<u>0,35</u>	<u>0,70</u>	<u>1,05</u>	<u>1,40</u>	<u>1,75</u>
Level 2	TwE2		<u>-2,25</u>	<u>-1,80</u>	<u>-1,35</u>	<u>-0,90</u>	<u>-0,45</u>	4,50	<u>0,45</u>	<u>0,90</u>	<u>1,35</u>	<u>1,80</u>	<u>2,25</u>
Level 3	TwE3		<u>-2,75</u>	<u>-2,20</u>	<u>-1,65</u>	<u>-1,10</u>	<u>-0,55</u>	5,50	<u>0,55</u>	<u>1,10</u>	<u>1,65</u>	<u>2,20</u>	<u>2,75</u>
Level 4	TwE4		<u>-3,25</u>	<u>-2,60</u>	<u>-1,95</u>	<u>-1,30</u>	<u>-0,65</u>	6,50	<u>0,65</u>	<u>1,30</u>	<u>1,95</u>	<u>2,60</u>	<u>3,25</u>